

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 8140-2303:0500 Page 1 of 1

CATEGORY: 8140 -- EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)

LISTEE: Hardel Mutual Plywood Corporation 143 Maurin Road, Chehalis, WA 98532
Contact: Craig Gronka (360) 740-0232 Fax (360) 740-9619
Email: Craig@hardel.com

DESIGN: HardelPly plywood siding with shiplap edges, nominal 19/32" thick or greater, grooves spaced no closer than 4" on center or without grooves, and manufactured with veneers of Okoume Hardwood face and back with Douglas Fir veneer core and center lines. 4'x8' or taller panel, installed on 2"x4" studs, 16" O.C., 7/16" exterior OSB sheathing, and fastened to the studs at 6" spacing on edge and 12" in the field.

Refer to the manufacturer's installation instructions and product data sheets.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number, and SFM label.

APPROVAL: Listed as exterior siding for use in the Wildland Urban Interface areas. Refer to listee's installation instruction manual for details.

NOTE: Test Protocol SFM 12-7A-1

02-25-20 VWW



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **March 06, 2020**

Listing Expires **June 30, 2020**

Authorized By: **DAVID CASTILLO, M.E., F.P.E.**
Fire Engineering Division